



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Certificate of Analysis

| | |
|------------------|-----------------|
| Accession Number | 2602190027 |
| Client | Signal Research |
| Search Code | Sign2602190027 |


| | |
|----------------|------------|
| Received Date: | 02/19/2026 |
| Reported Date: | 2/21/2026 |

| | |
|---------|-------|
| Product | PT141 |
|---------|-------|

| | |
|-----|----------|
| Lot | Blue Cap |
|-----|----------|

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines. *Endotoxin limits are established per USP <85> Bacterial Endotoxins Test and USP <161> Medical Devices—Bacterial Endotoxin and Pyrogen Tests.

| Endotoxin Threshold | Result |
|---------------------|--------|
| Replicate 1 | Pass |
| Replicate 2 | Pass |



Stephen Schmidt

COA: 2602190027

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net