



**Client:** Kolsen  
**Accession #:** 2606230090  
**Search Code:** Kols2606230090  
**Received:** 06/23/2026  
**Reported:** 06/25/2026  
**Lot:** C1080

### Sample Summary

<b>Product:</b>	Reta 30mg	<b>Purity:</b>	Vial 1: 99.93% Vial 2: 99.92%
<b>Identity:</b>	Confirmed	<b>Net Content:</b>	Vial 1: 33.86 mg Vial 2: 33.15 mg
<b>Appearance:</b>	White Lyophilized Powder		

### Analytical Results


Test	Result
<b>Identity (LC-MS)</b>	GLP RT
<b>Purity (HPLC-UV)</b>	99.93%
<b>Net Content Average</b>	33.51 mg

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


<b>Endotoxin Replicate 1:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL
<b>Endotoxin Replicate 2:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

#### Chromatogram



#### Mass Confirmation



*Alex Johnson*

Principal Chemist

FreedomDiagnosticsTesting.com  
Admin@FreedomDiagnostics.net

Proudly Owned and Operated in the USA

