



Client:	Elite Research USA
Accession #:	2606250456
Search Code:	Elit2606250456
Received:	06/25/2026
Reported:	06/28/2026
Lot:	93-PG-0626

Sample Summary

Product: Thermogenix 20ml

Endotoxin Threshold:

Appearance: Red Liquid

Pass

Analytical Results

Test

Result

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.

Endotoxin Replicate 1:

Pass

Assay Sensitivity: ≤ 0.05 EU/mL

Endotoxin Replicate 2:

Pass

Assay Sensitivity: ≤ 0.05 EU/mL

Notes/Comments

N/A



Principal Chemist

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net

Proudly Owned and Operated in the USA



The endotoxin analysis reported here was performed using the Limulus Amebocyte Lysate (LAL) assay in accordance with USP <85> under validated laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The materials tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.