



Client: Modern Aminos
Accession #: 2606010147
Search Code: Mode2606010147
Received: 06/01/2026
Reported: 06/02/2026
Lot: BX-P-G1V1

Sample Summary

Product:	GLP/GIP/Glucagon 30mg	Purity:	Vial 1: 99.83% Vial 2: 99.84% Vial 3: 99.90%
Identity:	Confirmed	Net Content:	Vial 1: 32.82 mg Vial 2: 33.43 mg Vial 3: 31.59 mg
Appearance:	White Lyophilized Powder		

Analytical Results


Test	Result
Identity (LC-MS)	GLP RT
Purity (HPLC-UV)	99.86%
Net Content Average	32.61 mg

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤0.05 EU/mL

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation



Alex Johnson

Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
Proudly Owned and Operated in the USA

