



Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Certificate of Analysis

| | |
|------------------|----------------|
| Accession Number | 2512240017 |
| Client | Glacier Aminos |
| Search Code | Glac2512240017 |

| | |
|----------------|------------|
| Received Date: | 12/24/2025 |
| Reported Date: | 12/26/2025 |



| | |
|---------------------|--|
| Product | GLP3-R 16mg |
| Net Peptide Content | Vial 1: 15.50 mg Vial 2: 15.63 mg Vial 3: 15.22 mg |
| Average Net Peptide | 15.45 mg |

| | |
|------------|---|
| Lot | RET16GA03 |
| Purity | Vial 1: 99.751% Vial 2: 99.779% Vial 3: 99.797% |
| Appearance | White Lyophilized Powder |

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

| Endotoxin Threshold | | Result |
|---------------------|--------------|--------|
| Replicate 1 | ≤ 0.05 EU/mL | PASS |
| Replicate 2 | ≤ 0.05 EU/mL | PASS |

| Mass Identification | Result |
|---------------------|---------|
| GLP-RT | 99.776% |



Stephen Schmidt

Stephen Schmidt
Principal Chemist

COA: 2512240017

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: FreedomDiagnosticsTesting.com

Contact at: Admin@FreedomDiagnostics.net