



**Client:** Altitude Health Group / TYP  
**Accession #:** 2605270327  
**Search Code:** ALti2605270327  
**Received:** 05/27/2026  
**Reported:** 05/29/2026  
**Lot:** dp15326TYP

### Sample Summary

<b>Product:</b>	DSIP 15mg	<b>Purity:</b>	99.02%
<b>Identity:</b>	Confirmed	<b>Net Content:</b>	14.32 mg
<b>Appearance:</b>	White Lyophilized Powder		

### Analytical Results


Test	Result
<b>Identity (LC-MS)</b>	DSIP
<b>Purity (HPLC-UV)</b>	99.02%
<b>Net Content</b>	14.32 mg

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


<b>Endotoxin Replicate 1:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL
<b>Endotoxin Replicate 2:</b>	Pass	Assay Sensitivity: ≤0.05 EU/mL

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

#### Chromatogram



#### Mass Confirmation



*Alex Johnson*

Principal Chemist

FreedomDiagnosticsTesting.com  
 Admin@FreedomDiagnostics.net  
**Proudly Owned and Operated in the USA**

