



Client: Novaglo Research
Accession #: 2606250042
Search Code: Nova2606250042
Received: 06/25/2026
Reported: 06/27/2026
Lot: 3001062326RT


Sample Summary

Product:	GLP-3 RT	Purity:	Vial 1: 99.85% Vial 2: 99.85% Vial 3: 99.84% Vial 4: 99.83% Vial 5: 99.85% Vial 6: 99.87% Vial 7: 99.83%
Identity:	Confirmed	Net Content:	Vial 1: 12.05 mg Vial 2: 12.11 mg Vial 3: 12.91 mg Vial 4: 12.84 mg Vial 5: 12.04 mg Vial 6: 12.84 mg Vial 7: 11.88 mg
Appearance:	White Lyophilized Powder		
Endotoxin Threshold:	Pass		
Microbial Analysis (PCR):	Pass		
Fentanyl Screen:	Negative		


Analytical Results

Test	Result
Identity (LC-MS)	GLP RT
Purity (HPLC-UV)	99.85%
Net Content Average	12.38 mg
<i>Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.</i>	
Endotoxin Replicate 1:	Pass Assay Sensitivity: ≤0.05 EU/mL
Endotoxin Replicate 2:	Pass Assay Sensitivity: ≤0.05 EU/mL
<i>Method: Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.</i>	
Microbial Analysis (PCR)	No Detectable Microbial DNA Pass
<i>Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).</i>	

Chromatogram



Mass Confirmation



Alex Johnson

Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.